



Ordering Information	Description:
Slab Thickness:	
Single Rec: 15A 20A	LEW ELECTRIC
Duplex Rec: 15A 20A	LEW ELECTRIC FITTINGS COMPANY
Cover Type:	
Proprietary and Confidential	877-537-2019 www.lewelectric.com
The information contained in this drawing is the sole property of NOCOM. Any reproduction in part or as a whole without the written permission of NOCOM is prohibited.	
	DWG. No.
	MOI6-REC-DP2

Articulated Hinge Cover with Cable Exit Door (AHC-CED)









Cover Fully Open

Cover Finishes

- Standard = Brushed Stainless Steel *Custom = Brushed Brass
- - Black Matte
- *Additional cost may apply
- *Other colours/finishes available upon request





Ordering Information	Description:
Slab Thickness:	
Single Rec: 15A 20A	LEW ELECTRIC FITTINGS COMPANY
Duplex Rec: 15A 20A	
Cover Type:	
Proprietary and Confidential	877-537-2019 www.lewelectric.com
The information contained in this drawing is the sole property of NOCOM.	WWW.icwoloctile.com
Any reproduction in part or as a whole without the written permission of NOCOM is prohibited.	DWG. No.
	MOI6-REC-DP2-AHC



Configuration View

Power: x2





Removable Bottom Plate

- NPS 0.750"

- NPS 1.000"

- NPS 1.500"

Ordering Information	Description:
Slab Thickness:	
Single Rec: 15A 20A	LEW ELECTRIC
Duplex Rec: 15A 20A	LEW ELECTRIC FITTINGS COMPANY
Cover Type:	
Proprietary and Confidential	877-537-2019 www.lewelectric.com
The information contained in this	
drawing is the sole property of NOCOM. Any reproduction in part or as a whole without the written permission of NOCOM is prohibited.	DWG. No.
	MOI6-REC-DP2