

## MOI-PWR4

4 single receptacles. Black available

## NOTE:

Single receptacle shall be 5-15R. 5-20RA available.

ORDERING INFO						
SLAB THICKNE	SS ind	ches				
RECEPT. type	20A					
FINISH type	brass stainless steel blk powder coat (threaded covers only)					
COVER type	drop threaded coin threaded security					

#### PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF MULTICONNECT. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF MULTICONNECT IS PROHIBITED.


						_
		DIMENSIONS ARE IN MM		NAME	DATE (yy-mm-dd)	Γ
		TOLERANCES: ANGLES: ± 1 DEGREE LINEAR: ± 0.1 MM (UNLESS SPECIFIED)	DRAWN	TjP	12-04-24	
			CHECKED			
			ENG. APPR.			
			MFG APPR.			ľ
		MATERIAL	Q.A.			
		See Varient table	COMMENTS;			
NEXT ASST	USED ON	FINISH				S
APPLIC	ATION	do not scale drawing				5

# MULTICONNECT™


630-665-2075 www.lewelectric.com

 SIZE
 DWG, NO.
 MOI-PWR4
 REV.

 SCALE=1:1
 WEIGHT:
 SHEET 1 OF 3



### COVER PER SUBMITTAL



		1					
			DIMENSIONS ARE IN MM		NAME	DATE (yy-mm-dd)	JOB TITLE:
			TOLERANCES:	DRAWN	TjP	12-04-24	
			ANGLES: ± 1 DEGREE LINEAR: ± 0.1 MM	CHECKED			<b>MULTICONNECT</b>
			(UNLESS SPECIFIED)	ENG. APPR.			VALOPTICOMMECT
PROPRIETARY AND CONFIDENTIAL				MFG APPR.			
THE INFORMATION CONTAINED IN THIS			MATERIAL	Q.A.			
DRAWING IS THE SOLE PROPERTY OF MULTICONNECT, ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF MULTICONNECT IS PROHIBITED.				COMMENTS;			630-665-2075 www.lewelectric.com
	NEXT ASST	USED ON	FINISH				SIZE DWG, NO. A MOI-PWR4
	APPLIC	CATION	DO NOT SCALE DRAWING				SCALE=n.t.s. WEIGHT: SHEET 2 OF 3